



Please note:

Ensure that a licensed electrician is installing the fitting  
Read all instructions before commencing


### Cable Suspension Installation

- 1 Fasten barrel to ceiling**  
Fasten the barrel by your chosen method.  
i.e. Plastic anchors with screws for concrete
- 2 Male end of barrel**  
Feed entire length of steel cable through male end of barrel until secured.
- 3 Fasten barrel**  
Thread and lock the 2 barrel ends firmly.



### Tools required

Screw driver (Flat & Philips)  
Plastic card (for reflector removal)




### Fasten the Suspension Gripper onto Fitting

- 1 Suspension gripper**  
Slide the suspension gripper into the T-section.  
Ensure the rounded edges of the rectangular fastener is on the right hand side.



Please note:

Ensure that a licensed electrician is installing the fitting  
Read all instructions before commencing



### Securing the Suspension Gripper


- 2** Suspension gripper  
Suspension gripper in T-section of fitting.
- 3** Locking suspension gripper  
Twist the suspension gripper counter clockwise to loosen and clockwise to securely fasten into place.
- 4** Securing cable  
Feed the steel cable into the self locking head until secured.
- 5** Cable through Y-shaped gripper  
Ensure the cable joining the 2 suspension grippers is going through the Y-shaped gripper and is equally distanced.
- 6** Ensure cable is locked in all grippers
- 7** Securing cable  
Feed the steel cable into the self locking head until secured.



Please note:

Ensure that a licensed electrician is installing the fitting

Read all instructions before commencing



### Removing the Cable from Suspension Gripper

**1** Y-shaped suspension gripper release

Push the small neck down to release cable.

**2** Suspension gripper release

Push the small neck down to release cable.